Applicant: Eric M. DoBrava et al.

Serial No.: 10/044,277 Filed: January 10, 2002

Page : 2 of 10

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. (Currently Amended) A catheter for removing core material from one or more plaque deposits on an inside wall of a blood vessel, said catheter comprising:

an elongate shaft having a proximal end and a distal end; and

a radially extendible collection array comprising a plurality of collection lumens disposed about a portion of the clongate shaft, preximate and near the distal end of the clongated shaft, and having outer circumferential walls spaced away from inner circumferential walls by radial spacing members the radially extendible collection array having one or more collection lumens to receive the core material at the periphery of the blood vessel.

- 2. (Currently Amended) The catheter of claim 1 further comprising a <u>retrieval port</u>

 <u>near the proximal end of the elongate shaft and a suction means fluidly coupled to the proximal

 end of the collection array retrieval port.</u>
- 3. (Original) The catheter of claim 1, wherein the collection array is radially extendible and radially collapsible.
- 4. (Original) The catheter of claim 1 further comprising means for radially extending and/or radially collapsing the collection array.
- 5. (Currently Amended) The catheter of claim 4, wherein the means for radially extending and/or radially collapsing the collection array includes a hydraulic [[means]]mechanism.

Applicant: Eric M. DoBrava et al.

Serial No.: 10/044,277 Filed: January 10, 2002

Page : 3 of 10

- 6. (Currently Amended) The catheter of claim 5, wherein the hydraulic [[means]]mechanism comprises a balloon, said balloon having an inflated state and a deflated state.
- 7. (Currently Amended) The catheter of claim 4, wherein the means for radially extending and/or radially collapsing the collection array includes a mechanical [[means]]mechanism.
- 8. (Original) The catheter of claim 1, wherein each collection lumen is defined, at least in part, by a first circumferential wall, a second circumferential wall, a first radial wall, and a second radial wall.
- 9. (Original) The catheter of claim 8, wherein for each collection lumen, said first and second radial walls are disposed between said first and second circumferential walls.
- 10. (Original) The catheter of claim 8, wherein at least one of the radial walls is substantially more rigid than said first and second circumferential walls.
- 11. (Original) The catheter of claim 8, wherein the first circumferential wall defines, at least in part, an outer surface of a balloon.
- 12. (Original) The catheter of claim 8, wherein said first and second circumferential walls and said first and second radial walls are constructed and arranged such that the collection array is collapsible into a predefined shape.
- 13. (Currently Amended) The catheter of claim 1, wherein the proximal end of the collection array includes a plurality of retrieval ports distal end of each of the one or more collection lumens comprises a collection port.

Applicant: Eric M. DoBrava et al.

Serial No.: 10/044,277 Filed: January 10, 2002

Page : 4 of 10

- 14. (Currently Amended) The catheter of claim 13, wherein at least one collection port is the retrieval ports are fluidly connectible to a suction means.
- 15. (Currently Amended) The catheter of claim 13, wherein at least one retrieval collection port is directed substantially axially.
- 16. (Original) The catheter of claim 13, wherein at least one collection port is directed radially.
- 17. (Currently Amended) The catheter of claim [[1]] 13, <u>further comprising a</u> retrieval port near the proximal end of the elongate shaft, wherein at least one collection lumen provides fluid communication between <u>the retrieval port and at least one collection port and at least one retrieval port</u>.
- 18. (Currently Amended) The catheter of claim 1, wherein an outer circumferential wall of the collection array defines, at least in part, an outer extent of an engagement surface for: engaging the inner wall of the blood vessel and the one or more plaque deposits; rupturing the one or more plaque deposits in one or more locations; and urging [[the]] core material from the one or more ruptured plaque deposits.
- 19. (Withdrawn) A system for removing core material from one or more plaque deposits on an inside wall of a blood vessel, said system comprising:

a catheter comprising an elongated shaft with radially extendible and/or radially collapsible collection array with the distal end of the collection array disposed about a portion of the elongated shaft proximate the distal end of the elongated shaft;

means for rupturing the one or more plaque deposits in one or more locations; and

Applicant: Eric M. DoBrava et al.

Serial No.: 10/044,277 Filed: January 10, 2002

Page : 5 of 10

one or more collection ports for extracting thrombi, debris, core material urged from the one or more ruptured plaque deposits, etc., from the lumen of the blood vessel.

- 20. (Withdrawn) The system of claim 19 further comprising means for radially extending and/or radially collapsing the collection array.
- 21. (Withdrawn) The system of claim 19 wherein the collection array comprises a plurality of collection lumens.
- 22. (Withdrawn) A method for removing core material from one or more plaque deposits on an inside wall of a blood vessel, said method comprising the steps of:

providing a catheter comprising an elongated shaft with radially extendible and/or radially collapsible collection array with the distal end of the collection array disposed about a portion of the elongated shaft proximate the distal end of the elongated shaft;

inserting the distal end of the catheter into a human of the blood vessel;

positioning the distal end of the collection array proximate one or more plaque deposits;

extending the collection array to engage the inner surface of the blood vessel and the one
or more plaque deposits, rupturing the one or more plaque deposits in one or more locations, and
urging the core material from the one or more ruptured plaque deposits; and

extracting thrombi, debris, core material urged from the one or more ruptured plaque deposits, etc., from the lumen of the blood vessel using suction means fluidly coupled to the proximal end of the collection array.

23. (New) The catheter of claim 13, further comprising one or more retrieval ports near the proximal end of the elongate shaft, wherein the one or more retrieval ports correspond to the one or more collection lumens.

Applicant: Eric M. DoBrava et al.

Serial No.: 10/044,277

Filed: January 10, 2002

Page : 6 of 10

24. (New) The catheter of claim 15, wherein the at least one axially-directed collection port is directed away from the proximal end of the elongate shaft.

25. (New) The catheter of claim 15, wherein the at least one axially-directed collection port is directed toward the proximal end of the elongate shaft.